









— |

ABBREVIATION	
OK	
LT BU	
DK BU	
DK GN	
GY	
OR	
PU	
RD	
WH	
YL	
PK	
—	







BREVIAATION	COLOR	SYMBOL	DESCRIPTION	7	6	5	4
BK	BLACK		CONNECTOR				
LT BU	LIGHT BLUE		FUSE				
DK BU	DARK BLUE		GROUND				
DK GN	DARK GREEN		GROUND (INTERNAL)				
GY	GRAY		CROSSING OF WIRES (NO CONNECTION)				
OR	ORANGE		TERMINAL				
PU	PURPLE		SPLICE				
RD	RED						
WH	WHITE						
YL	YELLOW						
PK	PINK						




Model 518 Skidder
50S1-UP
55U1-UP
94U1-94U2503
95U1-95U3204

F

|

8		7		6	
ABBREVIATION	COLOR	SYMBOL	DESCRIPTION		
BK	BLACK		CONNECTOR		
LT BL	LIGHT BLUE		FUSE		
DK BL	DARK BLUE		GROUND		
DK GN	DARK GREEN		GROUND (INTERNAL)		
GY	GRAY		CROSSING OF WIRES (NO CONNECTION)		
OR	ORANGE		TERMINAL		
PU	PURPLE				
RD	RED				
WH	WHITE				
YL	YELLOW				


FAN MOTOR



|




Model 518 Series II Skidder
94U2504-UP
95U3205-UP



SOLENOID
NEUTRALIZED

|
—



F
PU
RD
WH
YL
PK
BR
XX/XX

E

D

BACK
ALARM
SPEAKER
3T18

C

B


A


76-00

M





95U1-95U3204






95U3205-UP






SENR 5776
NN Page B & W

1







|



|

