



Chevrolet Product Information

2017 CHEVROLET SILVERADO 1500

FAST FACT

Silverado 1500's 12,500-lb. max trailering rating tops the segment for crew cab models.

BASE PRICE

TBD

ASSEMBLY LOCATION

Ft. Wayne, Ind. (Regular Cab and Double Cab)
Flint, Mich. and Silao, Mexico (Crew Cab)

EPA VEHICLE CLASS

Full-size truck

NEW FOR 2017

- Segment-best 12,500-lb. max trailering rating for crew cabs
- Standard Teen Driver feature. It encourages safe driving habits with teenagers, enabling parents to view the vehicle's maximum speed, distance driven and the number of times active safety features were engaged during a drive
- Low Speed Forward Automatic Braking added to the available Enhanced Driver Alert Package
- Capless fuel fill
- Exterior colors: Graphite Metallic and Pepperdust Metallic

VEHICLE HIGHLIGHTS

- Silverado 1500 offerings include regular cab, double cab and crew cab body styles – all offered with 4WD
- Models and trim levels include:
 - **WT** – available on all three cab styles and configurations
 - **LS** – available on all three cab styles and configurations
 - **Custom** – offered exclusively on the double cab – 2WD and 4WD
 - **LT** – offered in 1LT and 2LT trims; 1LT available on all three cab styles and configurations and 2LT is available only with 4WD
 - **LTZ** – offered in 1LZ and 2LZ trims on double cab and crew cab; 1LZ offered in 2WD and 4WD; and 2LZ offered in 4WD only
 - **High Country** – offered exclusively on the crew cab – 2WD and 4WD
- Regular cab models are offered with a 6'6" box or an 8' box. Double cab models are available exclusively with the 6'6" box, while crew cabs are available with a 5'8" box or the 6'6" box
- Silverado High Country embodies rugged luxury and is offered exclusively in the crew cab body, with the 5'8" or 6'6" cargo box, with 2WD or 4WD. It is distinguished by a unique chrome grille with horizontal chrome bars, LED projector headlamps and body-color front and rear bumpers. Unique 20-inch chrome wheels with P275/55R20 all-season tires are standard. Inside, it features exclusive interiors of Saddle Brown or Jet Black with gray stitching, as well as premium leather front bucket seats with High Country logos on the headrests and more



Chevrolet Product Information

- Available NHT max trailering package features a 9.76-inch rear axle, heavy-duty rear springs, unique shock tuning, enhanced cooling and an integrated trailer brake controller to optimize capability and comfort when trailering
- Available automatic locking rear differential reacts in milliseconds in low-traction situations to improve safety and confidence on wet, snowy or muddy surfaces
- Duralife™ brake rotors protect against corrosion, offering up to double the service life
- Available EZ Lift-and-Lower tailgate makes it easier to access the box. An internal torsion bar reduces the effort to raise and lower it, while a rotary damper allows for a controlled and more gradual lowering motion when opening it
- Available 8-inch-diagonal color touch screen and available navigation
- 4G LTE connectivity with Wi-Fi hotspot (includes three-month/3GB data trial)

SAFETY FEATURES

- Six standard air bags, including frontal air bags, head-curtain side air bags for outboard passengers in all rows and seat-mounted side air bags for the driver and front outboard passenger
- Standard StabiliTrak electronic stability control with rollover mitigation technology, trailer sway control and hill-start assist
- Rear-vision camera is standard on LT, LTZ and High Country. It is available on WT and LS
- Enhanced Driver Alert Package is available on LTZ and standard on High Country. Content includes Forward Collision Alert, Safety Alert Driver Seat, IntelliBeam headlamps with automatic high-beam control, Lane Keep Assist, Front and Rear Park Assist and Low Speed Forward Automatic Braking



Chevrolet Product Information

2017 Chevrolet Silverado Specifications

EPA FUEL ECONOMY

	4.3L V-6	5.3L V-8	6.2L V-8
City	18 mpg (2WD) 17 mpg (4WD)	16 mpg (2WD – 6 spd.) 16 mpg (4WD – 6-spd.) 16 mpg (2WD – 8 spd.) 15 mpg (4WD – 8-spd.) 18 mpg (eAssist 2WD 8-spd.)	15 mpg (2WD) 15 mpg (4WD)
Highway	24 mpg (2WD) 22 mpg (4WD)	23 mpg (2WD – 6-spd.) 22 mpg (4WD – 6-spd.) 22 mpg (2WD – 8-spd.) 20 mpg (4WD – 8-spd.) 24 mpg (eAssist 2WD 8-spd.)	21 (2WD) 20 (4WD)

FUEL TANK CAPACITY

	Regular Cab	Double Cab	Crew Cab
	26 gal. / 98 liters (6' 6" box) 34 gal. / 128 liters (8' box)	26 gal. / 98 liters	26 gal. / 98 liters



Chevrolet Product Information

ENGINES

Type:	4.3L V-6 VVT DI with Active Fuel Management
Horsepower (hp / kW @ rpm):	285 / 212 @ 5300 (SAE certified)
Torque (lb.-ft. / Nm @ rpm):	305 / 413 @ 3900 (SAE certified)

Type:	5.3L V-8 VVT DI with Active Fuel Management
Horsepower (hp / kW @ rpm):	355 / 265 @ 5600 (SAE certified)
Torque (lb.-ft. / Nm @ rpm):	383 / 519 @ 4100 (SAE certified)

Type:	5.3L V-8 with eAssist
Horsepower (hp / kW @ rpm):	355 / 265 @ 5600 (SAE certified)
Torque (lb.-ft. / Nm @ rpm):	383 / 519 @ 4100 (SAE certified)

Type:	6.2L V-8 VVT DI with Active Fuel Management
Horsepower (hp / kW @ rpm):	420 / 313 @ 5600 (SAE certified)
Torque (lb.-ft. / Nm @ rpm):	460 / 623 @ 4100 (SAE certified)

TRANSMISSION & AXLE

Type:	Hydra-Matic 6L80 six-speed automatic (4.3L and 5.3L) Hydra-Matic 8L90 eight-speed automatic (5.3L and 6.2L)
Final Drive Ratio:	3.08, 3.23 or 3.42; 3.73 with 5.3L with six-speed and Max. Trailering Pkg.



Chevrolet Product Information

CHASSIS & SUSPENSION

Front Suspension:	Independent coil-over-shock with twin-tube shock absorbers. Monotube shocks with Z71 pkg.
Rear Suspension:	Solid axle with semi-elliptic, variable-rate, two-stage multileaf springs, splayed twin-tube shock absorbers. Monotube shocks with Z71 pkg.
Steering Type:	Electric power-assisted rack-and-pinion
Brake Type:	Four-wheel disc with ABS; vented front and rear Duralife™ rotors
Brake Rotor Size (in / mm):	13 / 330 (front) 13.6 / 345 (rear)
Wheel Size:	17-in. steel (std.) 17-in. aluminum (avail.) 18-in. aluminum (avail.) 20-in. aluminum (avail.) 22-in. aluminum (avail.)
Tire Size:	255/70R17 all-season 265/70R17 all-terrain 265/65R18 all-season or all terrain 275/55R20 all-season or all terrain 285/45R22 all terrain

EXTERIOR DIMENSIONS

	Regular Cab	Double Cab	Crew Cab
Wheelbase (in. / mm):	119 / 3023 (6' 6" box) 133 / 3378 (8' box)	143.5 / 3645 (6' 6" box)	143.5 / 3645 (5' 8" box) 153 / 3886 (6' 6" box)
Overall Length (in. / mm):	205.5 / 5221 (6' 6" box) 224.4 / 5701 (8' box)	230 / 5843 (6' 6" box)	230 / 5843 (5' 8" box) 239.5 / 6085 (6' 6" box)
Overall Width (in. / mm):	80 / 2032	80 / 2032	80 / 2032
Overall Height (in. / mm):	74 / 1879 (2WD - 6' 6" box) 74.1 / 1883 (4WD 6' 6" box) 73.5 / 1867 (2WD - 8' box) 73.7 / 1874 (4WD - 8' box)	73.9 / 1876 (2WD) 73.9 / 1876 (4WD)	74.2 / 1884 (2WD) 74.0 / 1879 (4WD)



Chevrolet Product Information

INTERIOR DIMENSIONS

	Regular Cab	Double Cab	Crew Cab
Headroom (in. / mm):	42.4 / 1077	42.8 / 1087 (front) 38.7 / 982 (rear)	42.8 / 1087 (front) 40.5 / 1029 (rear)
Legroom (in. / mm):	45.3 / 1150	45.3 / 1150 (front) 34.6 / 880 (rear)	45.3 / 1150 (front) 40.9 / 1040 (rear)
Shoulder room (in. / mm):	66 / 1677	65.9 / 1675 (front) 65.8 / 1671 (rear)	66.0 / 1677 (front) 65.7 / 1670 (rear)
Hip room (in. / mm):	60.7 / 1543	60.7 / 1543 (front) 60.2 / 1530 (rear)	60.7 / 1543 (front) 60.3 / 1531 (rear)

CURB WEIGHT, CAPACITIES & TRAILERING

	Regular Cab	Double Cab	Crew Cab
Base curb weight (lb / kg):	4510 / 2045 (2WD) 4785 / 2170 (4WD)	4979 / 2258 (2WD) 5231 / 2373 (4WD)	5035 / 2284 (2WD) 5299 / 2403 (4WD)
Max GVWR (lb / kg):	6800 / 3084 (2WD) 7000 / 3175 (4WD)	7400 / 3356 (2WD) 7600 / 3447 (4WD)	7400 / 3356 (2WD) 7600 / 3447 (4WD)
Max payload (lb / kg):	1980 / 898 (2WD) 1930 / 875 (4WD)	2250 / 1020 (2WD) 2230 / 1011 (4WD)	2180 / 989 (2WD) 2120 / 961 (4WD)
Max trailering (lb / kg):	9800 / 4445 (2WD) 9500 / 4309 (4WD)	12500 / 5670 (2WD) 11800 / 5352 (4WD)	12500 / 5670 (2WD) 11700 / 5307 (4WD)